





DISCOVERING FROM SPACE THE MYSTERY OF THE PREPARATORY PHASE OF LARGE EARTHQUAKES

Could data provided by satellites improve our current knowledge of the phase preceding large earthquakes? This is the question the COS-LAIC Group at INGV (Centro di Osservazioni Spaziali - Earth Space Observation Centre of the Istituto Nazionale di Geofisica e Vulcanologia) is trying to answer.

AN "INTERCONNECTED WORLD". LAIC | LITHOSPHERE | ATMOSPHERE | IONOSPHERE COUPLING

Scientific investigations have shown that before large earthquakes, often the Earth sends transitory signals, sometimes strong, but more often fleeting: they appear as electromagnetic emissions over a wide range of frequencies, variations in the local magnetic field and also multiform atmospheric and ionospheric phenomena. LAIC stands for Lithosphere-Atmosphere-Ionosphere Coupling, a comprehensive name for those synergetic different processes occurring across ground surface, atmosphere and ionosphere leading to anomalous variations associated with different preparation stages of large earthquakes.

Current Swarm (ESA Magnetic Field Satellite Mission), CSES (China Seismo-Electromagnetic Satellite), NOAA (National Oceanic and Atmospheric Administration) satellites and other past satellite missions provide useful data for analyses of electromagnetic field and waves, as well as plasma and particle perturbations in the atmosphere, ionosphere and magnetosphere, induced by natural sources and anthropogenic emitters.



LAIC Methods and Models

The lithosphere-atmosphere-ionosphere interaction processes are of primary interest in seismo-ionospheric research for a deeper understanding of the preparation phases of large earthquakes.

Energy exchanges through heat, ground motion, electromagnetic emissions and perturbations are able to affect the ionospheric plasma parameters, electromagnetic field, ionospheric current, and energetic particles: so investigating the dynamics and electromagnetic environment via multi-parameter analysis from a variety of ground- and space-based detections (e.g. in situ – satellite – plasma parameters, ground motions, the geomagnetic and electromagnetic fields, infrared (IR) and radiofrequency (RF) emission, GNSS TEC, ionosonde, etc.) is mandatory.

Methods

COS-LAIC group considers, among the others, two different approaches:

1. Investigation of single case studies. The total number of anomalies associated with an earthquake are put in statistical correlation with its magnitude and occurrence and a confutation analysis is made to exclude a relationship by chance.
2. A worldwide point of view. We study the anomalies statistically in the whole space-time interval by using a "superposed epoch and space" approach to verify the possible relation with earthquakes: the concentrations of electron density and magnetic anomalies found time before and after the earthquake occurrences are promising and give more reliability to the seismic source origin for many of the identified anomalies. Moreover, by investigating different magnitude ranges, we confirm the Rikitake empirical law (i.e. the larger the earthquake magnitude, the longer the anticipation time of the precursor).

Models

The interaction among the different geolayers before large earthquakes is complex and comprises different possible phenomena. In general, it depends on the magnitude of the impending earthquake, because the energy released before its occurrence in the form of some precursory anomalies seems to scale with the magnitude. In addition, the region of earthquake preparation scales with magnitude, i.e. the larger the earthquake, the larger the preparation region (the so-called Dobrovolsky region).

Three possible «channels» of LAIC are expected, explained by three different models.

The LAIC study to comprehend the pre-earthquake phases

Investigation of the dynamics and electromagnetic environment via multi-parameter analysis from ground-to space-based detections is mandatory.

DYNAMO FROM STRESSED ROCKS (E.G. FREUND, 2011)



When crustal rocks are stressed, molecular links break, releasing electronic charge carriers, known as positive holes or p-holes, which can flow out of the stressed volume of rock. Such electric current generates magnetic field variations and low frequency EM emissions: these positive charges can lead to ionization of air at the ground-air interface able to produce IR and RF emission.

DYNAMO FROM INJECTION OF RADON AND/OR CHARGED AEROSOLS (E.G. PULINETS AND OUZOUNOV, 2011)

From the starting release of radon and/or charged aerosols, this model proposes a chain of processes that can explain the various types of variations in the different observables (electromagnetic, atmospheric, ionospheric, etc.) identified in the scientific literature.

ACOUSTIC GRAVITY WAVES (AGW) (E.G. HAYAKAWA ET AL. JAE, 2011)

The generation of AGW (atmospheric gravity wave) is considered responsible for the transfer of the lithospheric perturbation to the ionospheric altitudes, through the atmosphere, leading to the anomalous variations in the ionospheric data.



National and International Projects

The COS-LAIC team studies interactions across Earth's geophysical layers-lithosphere, atmosphere, ionosphere, magnetosphere, and hydrosphere-to monitor rapid phenomena like earthquakes and climate extremes, while addressing gaps in current knowledge. To address these interdisciplinary goals with a holistic approach, the team brings together experts in geophysics (including volcanology, seismology, coastal processes, and biomass burning), atmospheric and space plasma sciences, instrumentation, satellite engineering, and data management. The group participates in numerous projects.

SPACE-IT-UP Spoke 5

It explores and improves the Technology Readiness Level (TRL) of innovative methods of space observation for natural disaster protection using nanosatellite constellation architectures. The ultimate goal is to advance the understanding of how lithospheric events-such as earthquakes, volcanic eruptions, landslides, and tsunamis - affect the atmosphere through the lithosphere-atmosphere-ionosphere coupling (LAIC).

LIMADOU Expo

It explores data from the Chinese CSES-01 and CSES-02 satellite missions for the monitoring of electromagnetic fields and waves, plasma and particle perturbations in the atmosphere, ionosphere and magnetosphere, induced by natural sources and anthropogenic emitters. Both satellites carry Italian payloads, for the detection of high-energy particles and monitoring of the electric field. Our comprehensive approach is designed to bolster Italy's leadership in spacebased Earth observation, geohazard risk management and planetary protection technologies.



All the space-related INGV flyers are here!

REFERENCES

- De Santis A. et al. (2019). Magnetic Field and Electron Density Data Analysis from Swarm Satellites searching for Ionospheric Effects by Great Earthquakes: 12 Case Studies from 2014 to 2016 Atmosphere, 10, 371.
- De Santis, A. et al. (2019). Precursory worldwide signatures of earthquake occurrences on Swarm satellite data. Sci Rep 9, 20287 <https://doi.org/10.1038/s41598-019-56599-1>.
- Freund, F. (2011). Pre-earthquake signals: Underlying physical processes. Journal of Asian Earth Sciences 383-400.
- Hayakawa, M. et al., V. (2011). Atmospheric gravity waves as a possible candidate for seismo-ionospheric perturbation. Journal of Atmospheric Electricity, 31(2), 129-140. <https://doi.org/10.1541/jae.31.129>.
- Pulinets, S., and Ouzounov, D. (2011). Lithosphere-atmosphere-ionosphere coupling (LAIC) model-an unified concept for earthquake precursors validation. Journal of Asian Earth Sciences, 847 41(4-5), 371-382. <https://doi.org/10.1016/j.jseas.2010.03.005>.

